SAFETY DATA SHEET Trade Name: InstaCote CC HI VIS Strip

Section 1 – Product and company identification:

Product Name:	InstaCote CC HI VIS Strip, V	inyl Acrylic Latex Strippable Coating
	Multiple Parts (Yes/No):	No
	Proprietary (Yes/No):	Yes
Manufactured by:		
	INSTACOTE, IN	NC.
	160 C Lavoy R	d.
	Erie, MI 4813	
	Phone (734) 847-5260 Fax (734) 847-9008	
	r liolle (754) 847-5200 Tax ((734) 847-9008
Validation date:	May 5, 2017	
Section 2– Hazar	d Identification:	
Hazard symbol:	No symbol	
Signal word:	No signal word	
•	ent: This product in the form suppluman health effects. Contains high	
Prevention:	Wash hands after handling. Wear protection for eyes, gloves and	

clothing. Handle in accordance with good industrial hygiene and safety practice.

Response: If in eyes rinse with plenty of water

Physical state:	Liquid
Color:	White
Odor:	Slight
OSHA/HCS status:	Non-Hazardous

Section 3– Composition/information on ingredients:

	<u> </u>	
Name	CAS Number	Weight %
Water	7732-18-5	35-40%
Butyl acrylate polymer	25067-01-0	<51%
Poly(oxy-1,2-ethaanediyl), alpha-(4-		
nonylphenyl)-omega-hydroxy-	127087-87-0	<2 %
Vinyl acetate	108-05-4	0.03-0.06%
Acetaldehyde	75-07-0	< 0.02%
Propylene glycol	57-55-6	2-3%
Oxygenenated hydrocarbon	25265-77-4	2-3%
Other additives	trade secret	1-2%

SAFETY DATA SHEET CC HI VIS Strip May 5, 2017

Section 4– First aid measures:

Eye Contact:	Flush eyes with a large amount of water for at least 15 minutes. Consult
	a physician if irritation persists.
Skin Contact:	Wash area with soap and water. Wash clothing prior to re-use.
Ingestion:	No special precautions.
Inhalation:	Move individual to fresh air. Consult a Physician. If breathing becomes
	labored, administer O ₂ .

Section 5– Fire-fighting measures:

N/A		
Upper: Not Established	Lower: Not Established	
s: Carbon oxides (CO, CO2)		
: Use dry chemical, CO2, AFFF(foan	n), or water. This product is a very	
low fire hazard. This product is a water-based material and while it may		
not burn, it can splatter and froth. Do not spray water into hot material;		
use water fog to cool surrounding fit	re.	
	 Upper: Not Established S: Carbon oxides (CO, CO2) : Use dry chemical, CO2, AFFF(foan low fire hazard. This product is a w not burn, it can splatter and froth. If 	

Section 6– Accidental release measures:

Large spills can be vacuumed. Small spills can be treated with absorbent clay, earth, sand or other material, shoveled into a DOT approved container and disposed of according to all local, state and
Federal regulations. Coagulate the waste material by addition of sand, clay or other earth
material. Allow to dry if time permits. Coagulated solids may be incinerated in accordance with local, state and Federal regulations (see section 13).

Section 7– Handling and storage:

Handling:	Put on appropriate personal protective equipment (see section 8). Eating,
	drinking and smoking should be prohibited in areas where this material is
	handled, stored and processed. Avoid breathing vapor or mist.
Storage:	Store at temperatures between 5°C (40°F) and 50°C (122°F). Insure drum
	closure to be tight. Protect product from extreme temperatures.

Section 8– Exposure controls/personal protection:

Ventilation: Ventilation is recommended. Air movement must be designed to insure turnover at all locations in work area to avoid build-up of heavy vapors.
PPE: DO NOT WEAR CONTACT LENSES when working with this product. Wear chemical goggles/safety glasses with side shields. Minimize skin contamination by following good hygiene practice. When handling this material, gloves of the following types should be worn: neoprene, nitrile polyvinylchloride, butyl-rubber, chlorinated polyethylene, polyethylene (PE) and ethyl vinyl alcohol laminate (EVAL). Respirators are not required with the use of this product alone. Wear NIOSH/MSHA approved full or half face respirator with dust cartridge whenever a mist

SAFETY DATA SHEET CC HI VIS Strip May 5, 2017

is generated such as spray application. Respiratory protection programs must comply 29 CFR § 1910.134.

Section 9 – Physical and chemical properties:

Appearance:	Off white thick milky liquid	
Color:	White	
Odor:	Mild	
Boiling Point:	100°C (212°F),	
Flash point:	N/A	
Lower explosion limit:N/A		
Upper explosion limit	t:N/A	
pH:	7.0-9.0	
Freezing point:	-3°C (27°F)	
Specific Gravity:	1.1-1.2 @ 20°C (68°F)	
Vapor Pressure:	1.4 mm Hg, 20°C	
Water Solubility:	Completely	
Autoignition temp:	N/A	
Viscosity, dynamic:	N/A	
Evaporation Rate:	equiv. to water	
Bulk density:	N/A	

<u>Section 10 – Stability and reactivity:</u>

Stability/reactivity:Stable at room temperature.Instability:Do not allow freezingMaterials to Avoid:Strong acids or alkalisHazardous Polymerization:Does not occurHazardous Decomposition Products:By fire and thermal decomposition: Carbon Oxides.

<u>Section 11 – Toxicological information:</u>

Toxicology data:vinyl acetate10 ppm TWA8 ACGIH35 mg/m3 TWA8 ACGIH35 mg/m3 TWA8 ACGIH15 ppm STEL ACGIH53 ppm STEL ACGIH

<u>Section 12 – Ecological information:</u>

Biodegradation: N/A

Section 13 – Disposal consideration:

Disposal Method: Dispose in accordance with federal, state and /or local regulations. Landfill if solid, incinerate at agency approved waste-disposal facility.

Section 14– Transportation information:

DOT- not-regulated Classification

SAFETY DATA SHEET CC HI VIS Strip May 5, 2017 IMDG- not-regulated Classification

IATA- not-regulated Classification

Section 15– Regulatory information:

OSHA Hazcom Standard Rating: Non-Hazardous Us. Toxic Substances Control Act: Listed on the TSCA Inventory

US. EPA CERCLA Hazardous Substances (40 CFR 302.4) Components: None

US. EPA emergency planning and community right-to-know act (EPCRA) SARA Title III subsections; 302,304,311 and 312. <u>Components;</u> None

US. EPA Resources conservation and recovery act (40CFR 261.20-24)

Massachusetts, New Jersey, Pennsylvania right to know (see section 3)		
Name	CAS Number	Weight %
Water	7732-18-5	35-40%
Butyl acrylate polymer	25067-01-0	<51%
Poly(oxy-1,2-ethaanediyl), alpha-(4-		
nonylphenyl)-omega-hydroxy-	127087-87-0	<2 %
Vinyl acetate	108-05-4	0.03-0.06%
Acetaldehyde	75-07-0	< 0.02%
Propylene glycol	57-55-6	2-3%
Oxygenenated hydrocarbon	25265-77-4	2-3%
Other additives	trade secret	3-5%

Massachusetts, New Jersey, Pennsylvania right to know (see section 3)

California Prop. 65:

To best of our knowledge, this product does not contain any of the listed chemicals, which the state of California has found to cause cancer, birth defects or other reproductive harm.

Section 16– Other information:

These products are therefore recommended only for use in industrial or trade (commercial) applications. They are not suitable for use in Do-it-yourself applications.

Contact person:	Thomas J. Nachtman
Telephone:	734-847-5260
MSDS Number:	CC HI VIS Strip
Version Date:	5/05/17
Report Version:	4.0

This version replaces all previous versions.

END